

life scientific

TANK MIX SHEET

Cereals

AURELIA®



The following tank-mixes are supported for physical compatibility with AURELIA at recommended rates of use and will mix in the sprayer tank.

No tests have been undertaken on crop safety or product performance. Use is at user's own risk.

AURELIA may be tank-mixed with one listed fungicide, herbicide or PGR plus one of the listed insecticides from the following tables. In addition, AZOXYSTAR may be added to the products marked with *.

Do not mix AURELIA + NIAN TIC/CINTAC +PROBE/Biopower with insecticides.

Before using any tank-mixture, consult and comply with the recommendations of the partner products. Each product should be added separately to the bulk of the water in the spray tank and thoroughly mixed before adding the next chemical.

Always use constant agitation of the sprayer tank during mixing, transportation and application. Spray immediately.

PLEASE NOTE:

The following tank-mixes are supported for physical compatibility with AURELIA at recommended rates of use and will mix in the sprayer tank. No tests have been undertaken on crop safety. Provided that all product recommendations are adhered to AURELIA may be applied in mixture with the following pesticides:

FUNGICIDES

Amistar

AZOXYSTAR

Swift SC

HERBICIDES

Ally Max SX*

Boxer*

Cheetah Super + Toil*

Chekker

CINTAC + PROBE/Biopower

Duplosan*

Eagle*

Harmony M SX*

KIPOTA + Actipron*

NIANTIC + PROBE/Biopower

Presite SX*

Starane XL*

SUMIR*

Topik + Actipron*

Traton SX*

PGR's

Cerone*

Chlormequat*

5C Cycocel*

Moddus*

Moddus + Chlormequat*#

TRINESTAR*

TRINESTAR + Chlormequat*##

Terpal + Agral*

INSECTICIDES

Cypermethrin

Decis

Hallmark

LAMBDASTAR

Mavrik

Sumi-Alpha

NOTES

*May be mixed with AURELIA + AZOXYSTAR.

Do not mix AURELIA + NIANTIC/CINTAC + PROBE/Biopower with insecticides.

#PGR tank-mixtures

AURELIA + AZOXYSTAR may be applied, before BBCH32, in mixture with one of the following :

TRINESTAR (or Moddus) 0.2L + chlormequat 1.25L (winter wheat);

TRINESTAR (or Moddus) 0.1L + chlormequat 1.25L (winter barley – light soils or malting crops);

TRINESTAR (or Moddus) 0.2L + chlormequat 1.25L (winter barley – other soils and feed crops).

Do not use AURELIA + AZOXYSTAR + TRINESTAR (or Moddus) + chlormequat on spring barley.

Check the manufacturers' latest guidance before using the above mixtures.

Tank-mix sheet produced 08/05/2024.

AURELIA, AZOXYSTAR, CINTAC, LAMBDASTAR, NIANTIC, SUMIR and TRINESTAR are trademarks of Life Scientific. KIPOTA is a trademark of Life Scientific. AURELIA contains prothioconazole. AZOXYSTAR contains azoxystrobin. CINTAC and NIANTIC contain mesosulfuron-methyl and iodosulfuron-methyl-sodium. KIPOTA contains clodinafop-propargyl. LAMBDASTAR contains lambda-cyhalothrin. SUMIR contains florasulam. TRINESTAR contains trinexapac-ethyl.

All other products are those of other manufacturers where proprietary rights may exist.

Use plant protection products safely. Always read the label and product information before use.

For further product information including warning phrases and symbols refer to www.lifescientific.com or email

infoUK@lifescientific.com

Life Scientific Ltd, Block 4, Belfield Office Park, Beech Hill Road, Clonskeagh, Dublin 4, Ireland. Tel: +353 1 283 2024. Fax: +353 1 283 2026