



NOTES:

Do not exceed total dose of florasulam.

Do not mix with any of the following:

Attribut, Eagle, Monitor, Chekker.

The following 2-way tank-mixes are supported for physical compatibility with SUMIR® at recommended rates of use and will mix in the sprayer tank.

No tests have been undertaken on crop safety or product performance. Use is at user's own risk.

For any tank-mixture, check that the products are registered for use on the crop.

Before using any tank-mixture, consult and comply with the recommendations of the partner products. Each product should be added separately to the bulk of the water in the spray tank and thoroughly mixed before adding the next chemical.

Always use constant agitation of the sprayer tank during mixing, transportation and application. Spray immediately.

PLEASE NOTE:

The following 2-way tank-mixes are supported for physical compatibility with SUMIR® at recommended rates of use and will mix in the sprayer tank. No tests have been undertaken on crop safety. Provided that all product recommendations are adhered to SUMIR® may be applied in mixture with the following pesticides:

HERBICIDES

Alias SX

Ally Max SX

Aurora 40WG

Auxiliary

Avro SX

Axial

Barton WG*

Biplay SX

Boudha

Broadway Star*

Calibre SX

Chimera SX

CINTAC

Concert SX

Crystal (SUMIR 75 ml)

Dakota*

Defy (SUMIR 75 ml)

Ergon

Finish SX

FIRESTARTER (SUMIR 75 ml)

Galaxy*

Hamlet

Harmony M SX

Hatra

Hiatus

Horus

Hunter

Inka SX

Isomec Ultra

Jubilee SX

KIPOTA

LAYA

Liberator (SUMIR 75ml)

Lorate

MCPA

Nautius

NIANTIC

Orient

Othello

Pendimethalin 400 SC formulations

Picona

Pinnacle

Pixxaro EC

Presite SX

Ratio SX

Savvy Premium

Slalom*

Spitfire*

Starane XL*

Stomp Aqua

Topik

Tower (SUMIR 75 ml)

Traton SX

*Do not exceed total dose of florasulam.

PLEASE NOTE:

The following 2-way tank-mixes are supported for physical compatibility with SUMIR® at recommended rates of use and will mix in the sprayer tank. No tests have been undertaken on crop safety. Provided that all product recommendations are adhered to SUMIR® may be applied in mixture with the following pesticides:

FUNGICIDES

Adexar

Agate

AMBARAC

Ascra Xpro

Amistar

AURELIA

AZOXYSTAR

Bontima

Boogie

Caramba

Ceratavo Plus

Comet 200EC

Duplosan Kv

Elatus Era

Fandango

FLEXURE

Helix

Imtrex

Jenton

Kestrel

Librax

Mobius

ORASO PRO

Proline 275

Prosaro

Swift

Unix

ZONOR(continuous agitation)

INSECTICIDES

Cypermethrin EC

Decis

Hallmark Zeon

LAMBDASTAR

Mavrik

Sumi-Alpha

PGR's

Bogota

3C Chlormequat

Canopy (up to 0.8 L/Ha)

Canopy + 3C Chlormequat (up to 0.8 + 1.2 L/Ha)

Moddus

Terpal

TRINESTAR

Tank-mix sheet produced
08/05/2024.

AZOXYSTAR, CINTAC, LAMBDASTAR, NIAN TIC, SUMIR, and TRINESTAR are registered trademarks of Life Scientific. KIPOTA and LAYA are trademarks of Life Scientific.

AZOXYSTAR contains azoxystrobin. LAMBDASTAR contains lambda-cyhalothrin. LAYA contains metsulfuron-methyl. KIPOTA contains clodinafop-propargyl. TRINESTAR contains trinexapac-ethyl. CINTAC AND NIAN TIC contain mesosulfuron-methyl and iodosulfuron-methyl-sodium. SUMIR contains florsulam. All other products are those of other manufacturers where proprietary rights may exist.

Use plant protection products safely. Always read the label and product information before use.

For further product information including warning phrases and symbols refer to www.lifescientific.com or email infoUK@lifescientific.com